

CLIGen Manual

CLIGen version 4.3

Olof Hagsand

Dec, 2019

Contents

| | | |
|----------|--------------------------------|-----------|
| 1 | Introduction | 3 |
| 2 | Command syntax | 4 |
| 2.1 | Keywords | 4 |
| 2.2 | Runtime behaviour | 5 |
| 2.3 | Escaping | 6 |
| 2.4 | Help texts | 6 |
| 2.5 | Callbacks | 6 |
| 2.6 | Assignments | 7 |
| 2.7 | Trees | 7 |
| 2.8 | Sets | 9 |
| 3 | Variables | 9 |
| 3.1 | Basic structure | 9 |
| 3.2 | String | 10 |
| 3.3 | Integers | 11 |
| 3.4 | Addresses | 11 |
| 3.5 | Uuid | 11 |
| 3.6 | Time | 11 |
| 3.7 | Boolean | 11 |
| 3.8 | Decimal64 | 12 |
| 3.9 | Keyword | 12 |
| 3.10 | Choice | 12 |
| 3.11 | Expand | 13 |
| 3.12 | Regular expressions | 13 |
| 3.13 | Variable translation | 14 |
| 4 | Operators | 14 |
| 4.1 | Choice and grouping | 14 |
| 4.2 | Optional elements | 15 |
| 4.3 | Caveat | 15 |

| | | |
|----------|---------------------------------------|-----------|
| 5 | API | 16 |
| 5.1 | CLGen variables | 16 |
| 5.2 | Initializing | 18 |
| 5.3 | Parsing syntax files | 18 |
| 5.4 | Global variables | 19 |
| 5.5 | Command loop | 19 |
| 6 | Advanced API | 19 |
| 6.1 | Writing a callback function | 19 |
| 6.2 | Registering callbacks | 20 |
| 6.3 | Completion | 21 |
| 6.4 | Translation | 22 |
| 7 | Installation | 23 |




Figure 1: *CLIgen usage: a designer implements a CLI by specifying the syntax in a specification file and the CLI source code using the CLIgen API.*

1 Introduction

CLIgen builds interactive syntax-driven *command-line interfaces* in C from a high-level syntax specification. Interactive CLIs are often used in communication devices such as routers and switches. However, any devices with a textual, syntax-driven, command-based interface can use CLIgen to make CLI programming easy.

CLIgen takes a syntax specification as input, generates a tree representation of the syntax, and provides an interactive command-line tool with completion, help, modes, etc.

A designer formulates the command-line syntax and writes callback functions in C to implement the semantics of the commands.

A good starting point is the hello world example with a simple syntax specification ("hello world") and a callback with a print statement, which produces the following CLI executable:

```

> ./cligen_hello
hello> hello world
Hello World!
hello>

```

The complete `cligen_hello` C application is included in the source code distribution.

Figure 1 shows a typical workflow when working with CLIgen. A designer specifies the CLI syntax by editing a CLIgen specification file and writing a C-program. When users access the CLI at runtime, the specification file is loaded and the CLI uses the API of the CLIgen library to interpret the commands.

An example of a CLIgen specification file of the hello world application is:

```

prompt="hello> "           # Assignment of prompt
hello("Greet the world"){  # 'hello' command with help text
    world, cb("Hello World!"); # 'world' command with callback
}

```

The specification above shows examples of the following key ingredients of a specification:

- *Command syntax* specifies the syntax of the actual commands, and are the main part of a specification. The command syntax is fully described in Section 2.

- *Callbacks* are functions called when a command has been entered by a user. You may specify an argument to a callback. Callbacks are a part of the API described in Section 5.
- *Assignments* are used to set properties of the CLI and its commands, such as prompts, visibility, etc. Assignments are either global or per-command.
- *Help text* provides help text for individual commands.
- *Comments* begin with the '#' sign.

The following sections will describe all aspects of designing CLIGen application. Programming using the CLIGen API in C is described in Section 5.

2 Command syntax

The command syntax consists of a combination of keywords, variables and operators:

- *Keywords* are constant strings representing fixed command words.
- *Variables* are placeholders for user-defined input.
- *Operators* are used to combine keywords and variables in different ways. Operators include 'choice', 'option', 'sequence', etc. Operators are further described in Section 4.

For example, the command syntax `ip tcp <uint16>;` have two keywords: `ip`, and `tcp` and one variable: `<uint16>`. They are combined in a *sequence*, that is, the CLI expects them to be typed one after the other.

2.1 Keywords

The simplest syntax consists only of keywords. Such a syntax can be specified as follows:

```
aa bb{
  ca;
  cb;{
    dd;
    ee;
  }
}
ff;
```

A CLI loaded with the specification above accepts the following strings as input:

```
aa bb ca
aa bb cb
aa bb cb dd
aa bb cb ee
ff
```

Note the following:

- Newlines are not significant, except after comments. This means that another way of specifying the syntax above is: `aa bb{ca;cb;{dd;ee;}}ff;.`
- Keywords specified one after another is a sequence. Example: `aa bb;.` An alternative of expressing the same syntax is: `aa{bb;}`
- Semicolon terminates a complete command. This means that `aa bb cb` is accepted as a complete command, but not `aa bb` in the syntax above.
- Semicolons also act as a choice, you can choose either `dd` or `ee` in the syntax above.
- Keywords can also be specified using variables: `<string keyword:aa>`, there are some advantages with this which may get apparent when programming using the API (see Section 5).
- The syntax above can be written in a more compact way, such as `aa bb (ca|cb [dd|ee]);ff;.` This is described more in Section 4

2.2 Runtime behaviour

A CLI with the syntax above will present the user with a list of commands. On the top-level, only `aa` or `bb` may be chosen when a question mark is entered:

```
> '?'
aa
gg
```

If the user prints an `'a'`, followed by a `'TAB'`, the CLI performs completion to `aa` since there is only one alternative:

```
> a'TAB'
> aa 'TAB'
> aa bb 'TAB'
> aa bb c'TAB'
ca                                cb
> aa bb c
```

In the example, two more `TABs` are entered, one for each command level and completion continues until the commands are not unique. In the last `TAB`, the CLI shows the available commands (`ca` and `cb`).

As long as a command is unique it is not necessary to complete the whole string. For example, the following two strings are equivalent from the CLIs perspective:

```
> aa bb cb dd
> a b cb d
```

Before finishing a command (with return), a unique command must be selected. The CLI gives an error code if the command is unknown, ambiguous or incomplete:

```
> a
CLI syntax error in: "a": Incomplete command
> aa bb c
CLI syntax error in: "aa bb c": Ambiguous command
> aa bb dd
CLI syntax error in: "aa bb dd": Unknown command
```

2.3 Escaping

In the CLIgen runtime, some characters have special meaning, such as '?'. You can *escape* characters with backslash('\') so that for example '?' can appear in a keyword or value:

```
> a\?b # Gives the string "a?b"
> a\\b # Gives the string "a\b"
```

2.4 Help texts

Help texts are given within parenthesis following a keyword or variable. The help text appears when you invoke the help command '?' in the CLI runtime.

For example, assume the following syntax:

```
ip("The IP protocol"){
    udp("The UDP protocol") <ipaddr>("IPv4 address");
    tcp("The TCP protocol") <uint16>("Port number");
}
```

If a user has typed 'ip ' and '?', the following help text appears:

```
cli> ip '?'
    tcp                The TCP protocol
    udp                The UDP protocol
```

2.5 Callbacks

When a unique command has been selected, a callback may be called. Callbacks are typically associated with commands using the file syntax:

```
aa bb{
    ca,fn1("ca");
    cb,fn1("cb");{
        dd,fn2();
        ee,fn3((int)42);
    }
}
```

In the example, the function `fn1` is called with "ca" as argument if `aa bb ca`, is selected. The same function is called also if `aa bb cb` is selected, but with another argument. For other commands, `fn2` is called without argument, and `fn3` is called with the integer argument 42.

Note that callbacks may only be associated with terminal commands. For example, `aa bb` may not have a callback function.

The details on how to write callback functions, such as `fn1` - `fn3` is described in detail in Section 5.

2.6 Assignments

You can assign values to *global* and *local* variables. Global variables are valid for the whole syntax, while local variables only apply to a single command.

In the current release, there is one pre-defined local variable:

- **hide** specifies that a command is not visible when listing or completing commands with '?' and 'TAB'. Still, the command is selectable and may be selected if you type it. This can be useful if there are commands that should be known only by expert users.

In the following example, **aa bb ca** is not visible:

```
aa bb{
  ca,hide;
  cb;{
    dd;
  }
}
```

A *global* variable is assigned on the top-level. There is currently only one pre-defined global variable (**treename** as described in the next section). But it is easy for a programmer to implement a global variable and define semantics to it.

The tutorial application supports prompt and comment character:

```
prompt="cli> ";           # Assignment of prompt
comment="#";              # Same comment as in syntax
```

Section 5.4 describes how the C-API can be used to define semantics for a global variable.

2.7 Trees

CLIGen can handle multiple syntax trees. A user can switch between trees (i.e., change CLI mode), or extend a tree with a sub-tree (using tree-references).

A tree is named using a special global **treename** assignment. The following example shows two syntax trees: **tree1** and **tree2**.

```
treename="tree1";
x{
  y;
}
treename="tree2";
z{
  x;
}
```

When parsing the syntax above, a CLIGen tree-list consisting of two trees will be created. By default, the first parsed tree is the active tree.

```
changetree <tree:string>, changetree("tree2");
```

Note that the `changetree` callback needs to be implemented as a callback function in C to actually change the syntax mode. Such a callback is implemented in the tutorial and is also described in more detail in Section 5.

Note, the `treename` feature is not available in Clixon, only in stand-alone CLigen.

2.7.1 Tree references

A CLigen syntax tree may reference another tree as an extension using the reference operator '@'.

The following specification references itself:

```
treename="T";
foo;
recurse @T;
```

which means that the following sentences are valid commands:

```
foo
recurse foo
recurse recurse foo
recurse recurse recurse foo
```

and so on.

Callbacks can be parametrized when using tree references. This means that you can specify which callback to use in the reference of the tree. This means that different callbacks can be called depending on how you reference the tree.

The following examples shows a main tree and a sub-tree.

```
treename="main";
add @sub, add();
del @sub, del();
treename="sub";
x{
  y, fn("a");
}
```

The main tree references the subtree twice. In the first reference, `add("a")` is called when invoking the command `add x y`. In the second instance `del("a")` is invoked when invoking the command `del x y`.

Note that the parameter list ("a") is not substituted, the original is used. In the example this means that `add("a")` is called regardless of any parameters to `add()` in the `@sub` invocation. An exception to this rule if there is no callback given in the original tree (e.g. as in `x { y; }`, then the callback and argument list from the tree reference is used (eg `add()` including eventual parameter list)¹.

It may be useful with functional substitution as shown above when the sub-tree represents a large common data-modeling sub-tree, where the data (x y) is the same but the operation(add/del) is different.

In the example, the 'treename' variable is used to define a new CLigen tree. It is possible using the C-API to change this keyword to something else by using the API function `cligen_treename_keyword`.

¹Yes, this semantics is somewhat complex and needs revision

2.8 Sets

By default, listing several commands within `{}` gives a choice of commands, but if instead commands are within the set operator `@{}`, the commands can be given on any order, and at least once. For example:

```
x @{
  a;
  b;
  c;
}
```

gives exactly the following allowed CLI commands, and no others:

```
x a
x a b
x a b c
x a c
x a c b
x b
x b a
x b a c
x b c
x b c a
x c
x c a
x c a b
x c b
x c b a
```

Note that the sets implementation is EXPERIMENTAL in the current release.

3 Variables

Variables are placeholders for user input. They also give support for lexical checking. The `int32` type, for example, only accepts 32-bit integers, while `string` accepts any sequence of characters.

3.1 Basic structure

A variable has the following basic components:

- *name* - How the variable is referenced, such as in a callback.
- *type* - The type of the variable. If no type is given, it is by default the same as *name*.
- *show* - How the variable is displayed in help texts (such as after a `'?'` or `'TAB'`). If no show field is given, it defaults to *name*.

The variable syntax has several forms:

```
<int32>;
<a:int32>;
<a:int32 show:"a number">("A 32-bit number")
```

In the first form, both name, type and show is `int32`. In the second form, the name and show is "a", while type is `int32`. In the last form, all fields are explicitly given, and there is also a help-text.

An example of the last, most explicit form in a CLI:

```
cli> '?'
  <a number>          A 32-bit number
```

3.2 String

The simplest form of a string specification is: `<string>`, which defines a string variable with the name 'string'.

A more advanced string variable specification is the following:

```
address <addr:string>("Address to home");
```

where the name of the string variable is `addr`. The name can be used when referring to the variable in a callback, and is also used in the help text:

```
cli> address '?'
  addr          Address to home
```

A string may contain all characters with some minor exceptions. Most notably, a string can not contain a question mark, since it is used for querying syntax in the CLI. Also, if a string contains spaces, it must be contained within double quotes. The following examples are all valid strings:

```
i_am_a_string
()/&#
"I am a string"
ab"d
```

A string can be constrained by a `length` statement. If given, the number of characters in a string is limited to a min/max interval, or just a `max`².

Example:

```
<addr:string length[8:12]>
<addr:string length[12]>
<addr:string length[2:4] length[8:12]>
```

which means that the `addr` string, if given, must be between 8 and 12 characters long, or just limited to 12 characters, or be between 2-4 and 8-12 characters respectively.

A variant of string is `rest` which accepts all characters until the end-of-line.

²Note that this differs from YANG types where a single bound means exactly that value, see RFC 7950

3.3 Integers

There are several integer variables, signed, unsigned, and 8, 16, 32 or 64-bits. For example, the `int32` variable allows any 32-bit integer, and can be specified in decimal or hex format.

Further, an allowed range of integer can be specified, either as an interval or as an upper limit, or a set of ranges:

Examples:

```
<x:uint32>
<x:int8 range[-12:80] range[100:110]>>
<x:int64 range[1000]>
```

3.4 Addresses

CLigen is often used in communication devices. Therefore, there is support for several pre-defined address types. Special lexical checking is defined for those types:

- `ipv4addr` - An IPv4 address in dotted decimal notation. Example: `1.2.3.4`
- `ipv4prefix` - An IPv4 prefix in 'slash' notation. Example: `1.2.3.0/24`
- `ipv6addr` - An IPv6 address. Example: `2001::56`
- `ipv6prefix` - An IPv6 prefix. Example: `2001:647::/64`
- `macaddr` - A MAC address. Example: `00:E0:81:B4:40:7A`
- `url` - An URL. Example: `http://www.hagsand.se/cligen`

CLigen performs lexical checking of the address variables, an invalid address is considered as a syntax error.

3.5 Uuid

A variable of type `uuid` accepts uuid according to standard syntax, such as `f47ac10b-58cc-4372-a567-0e02b2c3d479`.

3.6 Time

A `time` variable accepts ISO timestamps on the form

```
2008-09-21T18:57:21.003456
2008-09-21 18:57:21.003456
2008-09-21 18:57:21
```

3.7 Boolean

A variable of `bool` type accepts the values `true`, `false`, `on` and `off`.

3.8 Decimal64

A variable of type `decimal64` defines a subset of floating point numbers that can be obtained by multiplying a 64-bit signed integer with a negative power of ten, ie as can be expressed by $i * 10^{-n}$, where n is between 1 and 18.

The number of fraction-digits can be defined in the specification of the type, if this is not defined explicitly, the default number of decimals is 2.

Two examples of decimal64 are 732848324.2367 (four fraction-digits) and -23.0 (one fraction-digit).

Examples of decimal64 specification is:

```
<d:decimal64 fraction-digits:4>;
<d:decimal64 fraction-digits:4 range[0.1:10]>;
```

which allows numbers with four decimals. The econd example limits the numbers to be between 0.1000 and 10.0000.

Note that the `fraction-digits` statement should come before the `range` statement.

3.9 Keyword

A keyword variable is just an alternative way of specifying command keywords as defined in Section 2. In fact, a syntax with static keywords can just as well be written using keyword variables.

Thus, for example, the two specification lines below are equivalent:

```
aa bb;
<aa:string keyword:aa> <bb:string keyword:bb>;
```

However, a keyword variable can have another name:

```
<myname:string keyword:aa>;
```

Naming of keywords provides for more flexible search functions in callbacks, see Section 5.

Note that a keyword must be of type `string`.

3.10 Choice

The choice variable can take the value from a static list of elements.

Example:

```
interface <ifname:string choice:eth0|eth1>("Interface name")
```

A CLI user will get the following choice:

```
cli> interface '?'
    eth0      Interface name
    eth1      Interface name
cli>
```

The user can only select `eth0` or `eth1`, and thus the value of the `ifname` variable is either `eth0` or `eth1`.

Note the resemblance with choice of strings in Section 4 where the same example could be specified as:

```
interface (eth0|eth1)
```

Again, the former variant allows for naming of the variable which can be better when writing a callback function. In the example, the name of the variable in the first example is `ifname` whereas in the second it is *either* `eth0` or `eth1`.

3.11 Expand

The choice variable specifies a static list of keywords. But what if the list is dynamic and changes over time?

The expansion variable is a *dynamic* list of keywords, where the list may be different each time the CLI command is invoked.

For example, assume a user can select a network interface in the CLI, but the number of interfaces changes all the time. This can be specified as follows:

```
interface <ifname:string interfaces(">("Interface name")
```

The user's choice in the CLI will then be just as in the choice case:

```
cli> interface '?'
      eth0      Interface name
      eth1      Interface name
cli>
```

However, at another point in time, the choice of interfaces may be different:

```
cli> interface '?'
      eth3      Interface name
      lo0       Interface name
cli>
```

There is one catch here: the CLI needs to know in run-time the members of the list. That is, the list members cannot be specified in the syntax. In CLIGen, the application programmer defines a C callback function, `interfaces()` in this example, which computes the list at the time it is needed. This callback is registered and called whenever necessary.

How to write an expand callback is further described in Section 6.3.

3.12 Regular expressions

A string variable may be described using a regular expression. That is, a regular expression defines which values are valid.

For example, a variable may be specified as:

```
<name:string regexp="(ab|a)b*c">;
<name:string regexp="[a-z]+[0-8]+\.[0-9]">;
```

The first rule matches the following strings, for example:

```
ac
abc
abbbbbbbbbc
```

You can also add multiple regexps, in which case the string must match ALL regexps. You can also specify an inverted regex, meaning that a string should NOT match the regex.

In the following example, all strings are matched that do not start with "cli"

```
<name:string regexp="[a-zA-Z]+" regexp!="cli.*">;
```

CLIGen by default uses POSIX Extended regular expression syntax. However, XML schema regexps can be used instead by configuring CLIGen with libxml2 as follows:

```
./configure --with-libxml2      # At configure time
cligen_regexp_xsd\_set(h, 1);  # In C init code
```

3.13 Variable translation

CLIGen supports variable translation. A given variable can be translated on-the-fly using a generic translation function. This may be useful for example when hashing or encrypting a value.

In the example below, the variable `var` is translated by the function `incstr`:

```
increment <var:string translate:incstr(>, cb());
```

In this example, `incstr` simply increments every character in the variable.

```
cli> increment HAL
variables:      1 name:var type:string value:IBM
```

In the same way, a clear text password could be translated to an encrypted string. For information on how to implement a translator function, see Section 6.4.

4 Operators

In the regular syntax format, there are (implicit) sequence and choices. For example, the syntax

```
aa bb;
cc;
```

defines a choice between the sequence `aa bb` and `cc`.

It is also possible to explicitly define choices, optional elements and syntactical groupings.

4.1 Choice and grouping

Explicit choice between several elements can be made as follows:

```
(aa bb) | cc;
```

which expresses the same syntax as above.

Help strings work as usual, but may *not* be associated with groupings:

```
aa (bb("help b") cc("help c") | dd("help d"));
```

Choices may also be made with variables:

```
values (<int8> | <string> | <int64> | aa);
```

where a pattern matching is made selecting to try to select the most 'specific' variable. For example, the following input will give different matchings:

- aa selects the keyword.
- bb selects <string>.
- 42 selects <int8>.
- 324683276487326 selects <int64>.

4.2 Optional elements

It is also possible to express an *optional* part of a syntax using brackets:

```
aa [[bb] cc];
```

which accepts the commands: aa, aa bb and aa bb cc.

Any combination of these operations are possible, such as in the line:

```
aa [[(bb|cc <int32>)] dd] ee;
```

Note that the elaborate command specifications above can be combined in a regular syntax, at parsing they are just expanded into a larger syntax tree. Thus for example, the syntax:

```
aa bb (ca("help ca")|cb("help cb")) [dd|ee];
```

is equivalent to:

```
aa bb{
  ca("help ca");{
    dd;
    ee;
  }
  cb("help cb");{
    dd;
    ee;
  }
}
```

which is similar to the syntax used in Section 2.

4.3 Caveat

Note that the choice, groupings and optional elements are only syntactical structures generating the basic constructs described earlier. This means that if you use too many of them, they can generate a large number of states and consume memory.

For example, the optional operator [] will increase the number of states with a factor of two. Thus [a] [b] [c] [d] will generate 16 states, for example.

As an assistant, you can use the -p option to `cligen_file` to see which basic syntax is generated:

```
$ echo "[a][b][c];" | ./cligen_file -p
a;{
    b;{
        c;
    }
    c;
}
b;{
    c;
}
c;
```

5 API

This section describes C-programming issues, including types, parsing and callbacks.

Appendix A contains a complete program illustrating many of the topics of this tutorial. More advanced applications can be found in the CLigen source repository.

5.1 CLigen variables

Variables in the command syntax (such as `<string>`) described in Sections 3 and 2.6 are translated in runtime into *CLigen variables* using the `cg_var` datatype. A CLigen variables is sometimes referred to as a *cv*.

A *cv* is a handle and its values are accessed using get/set accessors. Two generic fields are `name` and `type`, other fields are accessed via type-specific accessors (see next Section).

Example: get name and type of cligen variable:

```
char *name          = cv_name_get(cv);
enum cv_type type = cv_type_get(cv);
```

5.1.1 Types

CLigen variables have a simple type-system, essentially following the types introduced in Section 3. Each *cv* type have get/set operators to access and modify the value.

For example, a command syntax contains `<addr:ipv4addr>`, and the user inputs "12.34.56.78". The CLI will then generate a *cv* which can be accessed in C. The string "12.34.56.78" is accessed with:

```
struct in_addr addr = cv_ipv4addr_get(cv);
```

Accessors for other types are shown in the table below. There may be several fields for a given type. These are given in the table with the corresponding C-type.

| Type | Accessor | C-type |
|------------|----------------------|-----------------|
| int8 | cv_int8_get() | int8_t |
| int16 | cv_int16_get() | int16_t |
| int32 | cv_int32_get() | int32_t |
| int64 | cv_int64_get() | int64_t |
| uint8 | cv_uint8_get() | uint8_t |
| uint16 | cv_uint16_get() | uint16_t |
| uint32 | cv_uint32_get() | uint32_t |
| uint64 | cv_uint64_get() | uint64_t |
| decimal64 | cv_dec64_i_get() | int64_t |
| | cv_dec64_n_get() | uint8_t |
| bool | cv_bool_get() | uint8_t |
| string | cv_string_get() | char* |
| ipv4addr | cv_ipv4addr_get() | struct in_addr |
| ipv4prefix | cv_ipv4addr_get() | struct in_addr |
| | cv_ipv4masklen_get() | uint8 |
| ipv6addr | cv_ipv6addr_get() | struct in6_addr |
| ipv6prefix | cv_ipv6addr_get() | struct in6_addr |
| | cv_ipv6masklen_get() | uint8 |
| macaddr | cv_mac_get() | char[6] |
| uuid | cv_uuid_get() | char[16] |
| time | cv_time_get() | struct timeval |
| url | cv_urlproto_get() | char* |
| | cv_urladdr_get() | char* |
| | cv_urlpath_get() | char* |
| | cv_urluser_get() | char* |
| | cv_urlpasswd_get() | char* |

You may also access a value with an unspecified type using:

```
void *v = cv_value_get(cv);
```

5.1.2 Cligen variable vectors

Variables are grouped into vectors whose using `cvec`. Global variables or variables passed to callback functions are always grouped into `cvec` structures.

5.1.3 Finding variables in a vector

Suppose for example that you have the following command syntax:

```
person [male|female] (<age:int32>|<name:string>)
```

A `cvec` is accessed using a handle. Typically an iterator is used to access the individual `cv`s within a vector:

```
cvec *vr;
cg_var *cv = NULL;
while ((cv = cvec_each(vr, cv)) != NULL) {
    str = cv_name_get(cv);
}
```

You can also access the variables individually if you know their order, in this example the 3rd element:

```
cvec *vr;
cg_var *cv = cvec_i(cv, 2);
```

A way to find variables using their names is as follows:

```
cg_var *cv = cvec_find(vars, "age");
```

Actually, keywords are also a part of variable vectors. This means that they can also be accessed via their name, although the name of the keyword is the same as its constant value, as described in Section 3.9.

Therefore, you can also check whether a keyword exists or not. Using the same example:

```
if (cvec_find(vars, "male") != NULL)
    printf("male\n");
```

where the conditional evaluates to true only if the user has selected `male` and not `female`.

5.2 Initializing

An application calls the CLigen `init` function to initialize the CLigen library. The function returns a `handle` which is used in most CLigen API functions.

In the following example, CLigen is initialized, a prompt is set, and is then terminated:

```
cligen_handle h = cligen_init();
cligen_prompt_set(h, "cli> ");
[...]
cligen_exit(h);
```

5.3 Parsing syntax files

The command syntax as described in Sections 2-4 normally resides in a file which is loaded and parsed by the CLI. The result of the parsing is a parse-tree and a list of global variable assignment. After parsing, the program needs to interpret the result and set up the CLI environment. This includes handling global variable assignments, mapping function callbacks, etc.

Most non-trivial programs handle many syntaxes that are merged into a common parse-tree, while others partition parse-trees into different modes.

An example of parsing syntax file `mysyntax.cli` is the following:

```
cligen_handle h;
FILE          *f;
h = cligen_init();
f = fopen("mysyntax.cli");
cligen_parse_file(h, f, "mytree", NULL, NULL);
cligen_loop(h);
```

The example code initiates a handle, opens the CLigen syntax file, parses the syntax into a tree called `mytree` and starts a CLigen command loop.

The next step is to handle the global variables and to bind callback functions.

5.4 Global variables

A syntax file may contain global variable assignments which can be accessed by the the C-code. Suppose a syntax file contains the following global assignments:

```
prompt="cli> ";           # Assignment of prompt
```

These global variables are parsed and may be read by the C-code as follows:

```
char *prompt;
[...]
cligen_parse_file(h, f, "mytree", NULL, globals);
prompt = cvec_find_str(globals, "prompt");
cligen_prompt_set(h, prompt);
```

In this way a programmer may define the semantics of global variables by binding their value to actions.

5.5 Command loop

A programmer can use the pre-defined `cligen_loop` function, or create a tailor-made loop as follows:

```
for (;;) {
    retval = cliread_eval(h, &line, &ret);
```

The return value of the `cliread_eval` function is as follows:

- `CG_EOF`: end-of-file
- `CG_ERROR`: CLigen read or matching error, typically if the syntax is not well-defined.
- `CG_NOMATCH`: No match, the input line did not match the syntax. By calling `cligen_nomatch(h)`, the reason for why no match was made is retrieved.
- `CG_MATCH`: Match, the line matched exactly one syntactic node. The variable `ret` contains the return value of the callback (if any).
- `> 1`: Multiple matches, the line matched several syntax lines.

6 Advanced API

6.1 Writing a callback function

A programmer may write a callback function for every complete command defined in the command syntax. Such a callback is then called every time a user types that command in the CLI.

An example of CLigen callback function from the example in Section 1 with the command syntax `hello world,cb("hello");` is:

```
int cb(cligen_handle h, cvec *cvv, cvec *argv){
    printf("%s\n", cv_string_get(cvec_i(argv, 0)));
    return 0;
}
```

The callback returns zero if everything is OK, and -1 on error. The arguments of a callback function are:

- **handle** - CLIGen handle created by a call to `cligen_init`. The handle is used if the callback makes API calls to CLIGen, such as changing prompt, parse-tree, etc.
- **cvv** - The command line as a list of CLIGen variables. Both keys and variables are included in the list.
- **argv** - A vector of CLIGen variables declared in the command syntax.

Regarding a more advanced command syntax from Section 5.1.3:

```
person [male|female] (<age:int32>|<name:string>),cb("person");
```

and an CLI input command such as:

```
cli> person male 67
```

The cligen variable vector `cvv` has four elements and can be accessed via iteration or via the `cvec_i()` function:

1. The complete command string: `person male 67`.
2. The CLIGen string variable containing the keyword `person`.
3. The keyword `male`.
4. A CLIGen integer variable containing 67.

The `argv` argument contains the function argument in the command syntax: `person`.

By using the values in the argument and variable vectors, the callback can perform actions by calling CLIGen API functions. In those functions, the handle `h` is usually required and used to make global changes.

6.2 Registering callbacks

A typical syntax contains callback references, such as the following:

```
hello world, callback("arg");
```

The parse-tree created in Section 5.3 contains the function names as strings which need to be mapped to function pointers. This is a typical issue with the C programming language. The problem is essentially the same as finding functions in a symbol-table. Note that this mapping is not a part of CLIGen itself but needs to be made by the application.

There are many ways to solve this issue, including using dynamic libraries and making a lookup in real-time using `dl_open`, `mmap`, or similar C library functions. This is actually the preferred option, the other approaches described here are not as good.

The simplest way used in this tutorial is to map all callbacks to the same function:

```
cligen_callback_register(pt, callback);
```

It is then up to `callback` to determine in which context it was called using its arguments.

A better way is to map each callback specified to a different function. This can be made by defining a function that maps between function name strings and actual functions and calling a mapping function, for example:

```

cgv_fnstype_t *
mapper(char *name, void *arg, char **error)
{
    *error = NULL;
    if (strcmp(name, "callback") == 0)
        return callback;
    return callback; /* allow any function (for testing) */
}
cligen_callbackv_str2fn(pt, mapper, NULL);

```

6.2.1 Multiple callbacks

Several callbacks may be associated with a syntax. Example:

```

hello world, callback("arg"), extra();
hello world, extra2();

```

In this case, all three functions: `callback`, `extra` and `extra2` are called, one after the other.

6.3 Completion

If expand variables (see Section 3.11) are used, the application defines a callback to fill in the elements of the dynamic list. Such a callback is invoked every time the CLI asks for a command containing the corresponding expand variable. That is, the callback may be invoked when a user types a question mark or a TAB as well.

The following example shows the expand function `expand_ifname`. A translator function (`str2fn`) maps name of functions to actual functions. In this case it trivially returns the expand function for all commands. More elaborate mapping functions consult a symbol table or some other way to map the function name supplied in the syntax, with an actual function pointer.

The expand function supplies a list of pointers to strings, in this example a list of interfaces. The example returns a static list of interfaces: "eth0" and "eth1", a real example would dynamically get the list of interfaces. If the helptexts are not given, the helptext in the specification is used.

```

int
expand_ifname(cligen_handle h, char *fn_str, cvec *cvv, cg_var *argv,
              cvec *commands, cvec *helptexts)
{
    cvec_add_string(commands, NULL, "eth0");
    cvec_add_string(helptext, NULL, "The first interface");
    cvec_add_string(commands, NULL, "eth1");
    cvec_add_string(helptext, NULL, "The second interface");
}

```

```

    return 0;
}

expandv_cb *
str2fn(char *name, void *arg, char **error)
{
    return expand_ifname;
}

main()
{
    [...]
    cligen_parse_file(h, f, "mysyntax", &pt, &globals) < 0)
    if (cligen_expandv_str2fn(pt, str2fn, NULL) < 0)
        return -1;
    [...]
}

```

In other words, as soon as the user selects a line containing the variable `interfaces`, `expand_ifname()` will be called. Therefore, be careful to avoid blocking calls within the callbacks since this may make the CLI less interactive.

6.4 Translation

An example of a variable translator function is as follows:

```

int
incstr(cligen_handle h,
       cg_var      *cv)
{
    char *str;
    int i;

    if (cv_type_get(cv) != CGV_STRING)
        return 0;
    str = cv_string_get(cv);
    for (i=0; i<strlen(str); i++)
        str[i]++;
    return 0;
}

```

In the function, the CLIgen variable `cv` assumed to be a string, every character is incremented, so that the string `HAL` would be translated to `IBM`, for example.

In the same way as expand functions, the translator functions must be registered using `cligen_translate_str2fn()`. See the tutorial example and code for more details.

7 Installation

CLigen is easiest installed from github. Just clone the source, configure it and type make, and try the tutorial program:

```
> git clone https://github.com/olofhagsand/cligen.git
> cd cligen
> ./configure
> make
> sudo make install
> ./cligen_tutorial -f tutorial.cli
hello>
```

CLigen can be installed on a variety of platforms using configure. Installation installs library and include files in the system. It is also possible to install library only (or include-files only) using `make install-lib` (or `make install-include`).

Appendix A: Tutorial command syntax

Please see the `tutorial.cli` file in the source release.

Appendix B: API functions

To generate CLigen reference manual, please do `make doc` in the cligen directory.

Appendix C: Control sequences

The control sequences of the runtime CLI is as follows:

| Control sequence | Action | Comment |
|------------------|----------------------------------|---|
| ? | Help | |
| Ctrl + A | Go to beginning of line | |
| Ctrl + B | One char backwards | |
| Ctrl + C | Exit CLI | Add extra w <code>cligen_exitchar_add()</code> . |
| Ctrl + D | End-of-file. | Exit if at beginning of line |
| Ctrl + E | Goto end of line | |
| Ctrl + F | One char forward | |
| Ctrl + H | Erase previous character | Backspace |
| Ctrl + I | Auto completion | TAB |
| Ctrl + K | Erase line after cursor | |
| Ctrl + L | Redraw line | |
| Ctrl + N | Move to next line in history | |
| Ctrl + O | Toggle overwrite mode | |
| Ctrl + P | Move to previous line in history | |
| Ctrl + R | Search history list backward | |
| Ctrl + S | Search history list forward | |
| Ctrl + T | Transpose character | |
| Ctrl + U | Erase line before cursor | |
| Ctrl + W | Erase word backward | |
| Ctrl + Y | Insert previously deleted text | 'yank' |
| Ctrl + Z | 'Suspend' | Register callback: <code>cligen_susp_hook()</code> |
| Arrow up | Move to previous line in history | |
| Arrow down | Move to next line in history | |
| Arrow left | One char backward | |
| Arrow right | Once char forward | |
| ESC + F | Move one word forward | |
| ESC + B | Move one word backward | |